

PESSTO SDDR4 : ESO Phase 3 Data Release Description

| | |
|-----------------|----------------------------------|
| Data Collection | PESSTO_MPHOT |
| Data Provider | Stephen J. Smartt (PI of PESSTO) |
| Date | 12.07.2021 |

Abstract

PESSTO (Public ESO Spectroscopic Survey of Transient Objects) began in April 2012 on the New Technology Telescope using the instruments EFOSC2 and SOFI. We typically target supernovae and optical transients brighter than 20.5^m for classification and select science targets for detailed follow-up. We use standard EFOSC2 setups providing spectra with resolutions of $13\text{-}17\text{\AA}$ between $3650\text{-}9995\text{\AA}$. A subset of the brighter science targets are selected for SOFI spectroscopy with the blue and red Grisms (resolutions $23\text{-}33\text{\AA}$) and imaging with broadband JHK_s filters. This catalogue data release provides photometric lightcurve coverage for the PESSTO targets for which follow-up lightcurves have been completed. Photometric lightcurves for a total of 95 objects are now provided, 65 more than in the previous release (lightcurves to 2 previously released transients have been removed from the catalogue as they do not qualify as PESSTO key-science targets).

Overview of Observations

As of 2019-05-01 PESSTO has taken spectra of 2314 optical transients and has chosen around 337 targets for more detailed follow-up. The follow-up observations include spectroscopic and photometric time series data sets in the optical and near infra-red. The photometric datasets typically take longer to complete and release since objects can be followed for longer with photometry and often a template image (or series of images) is required to apply image subtraction methods to remove the host galaxy contamination. This means that fully calibrated photometric time series data often need to wait at least for the second season of observations so that template images which are free from supernova signal can be gathered. These template images need to be with the same camera to reduce colour effects when difference imaging is applied.

PESSTO targets transients which are brighter than around 21^m for optical spectroscopy. While EFOSC2 can provide optical imaging (as discussed in Smartt et al. 2015), the majority of our targets can be followed photometrically with smaller aperture facilities. Use of multiple smaller facilities allows us to gather densely sampled lightcurves and also allows the NTT to concentrate on EFOSC2 spectroscopy and NIR observations with SOFI. EFOSC2 is employed for photometry when targets get too faint for the 1-2m telescopes we use. An example of the PESSTO legacy data set for SN2009ip (Fraser et al. 2013, 2015 ; see also Pastorello et al. 2013) is shown here in Figure 1.

Although most PESSTO target transients are initially discovered by wide-field imaging surveys, PESSTO has made a transient discovery of its own. During the PESSTO follow-up campaign of SN 2018ec, a Type Ic supernova hosted by galaxy NGC 3256, a second transient was serendipitously discovered in EFOSC2 imaging (see Figure 2). This PESSTO discovered transient, AT 2018cuz, was reported in Kankare et al. (2018) and subsequently classified as a sub-luminous Type IIP supernova.




Figure 1 : reproduced from Fraser et al. (2015). Optical and near-infrared lightcurves for the PESSTO science target SN2009ip. The source of each data point is indicated by the key. All data taken by PESSTO and presented in Fraser et al. (2013) and Fraser et al. (2015) are provided in this release.




Figure 2 : . Figure 5 of Kankare et al. (2021), replicated here, presents the EFOSC2 discovery image of AT 2018cuz in the left panel, the pre-discovery EFOSC2 image of the same field in the centre-panel and the difference between the images, with the locations of SN 2018ec and AT 2018cuz annotated, in the right-panel.

As photometric data are often, and indeed predominantly, provided from facilities other than the NTT and ESO, the image pixels are not all in the ESO archive. Those which are not ESO data are available on request from the PESSTO survey team. The detrended EFOSC2 images are available from www.pessto.org and the SOFI images are in the ESO archive as full science products. It is our intention to release all EFOSC2 images with trustworthy astrometric and photometric calibration. The calibration of all of the EFOSC2 images with an all-sky reference catalogue (from the Pan-STARRS1 telescope) is currently being investigated.

Release Content

The objects released are given in Table 1 below, with references to the published data where appropriate. The photometric measurements were carried out as described in the individual papers listed in Table 1. Photometry is usually a PSF fitting process unless specifically described otherwise in the papers. The processing of the various camera data are again included in the references. The description of the PESSTO processing of EFOSC2 and SOFI data is in Smartt et al. (2015).

Table 1 : Objects included in this release. The references provide the instrumental, reduction and calibration details. There are 6 unpublished lightcurves of type Ia SNe from Maguire et al. (2013), which are provided here with details of their instrumental source.

| Object | Reference |
|---|---|
| ASASSN-14lp | Baltay C., et al. 2021. |
| ASASSN-14lw | Baltay C., et al. 2021. |
| ASASSN-15hf | Baltay C., et al. 2021. |
| ASASSN-15hx | Baltay C., et al. 2021. |
| ASASSN-15hy | Baltay C., et al. 2021. |
| ASASSN-15oi | Holoien T. W.-S., et al. 2018. |
| ASASSN-15oz | Bostroem K. A., et al. 2019. |
| AT2016bln (aka SN2016bln) | Baltay C., et al. 2021. |
| AT2016jbu (aka Gaia16cfr) | Kilpatrick C. D., et al. 2018. |
| AT2018dyb | Leloudas G., et al. 2019. |
| AT2018fyk | Wevers T., et al. 2019. |
| CSS121015-004244+132827 | Benetti S., et al. 2014. |
| CSS131110-023957-083124 (aka LSQ13cuw) | Gall E. E. E., et al. 2015. |
| CSS140914-010107-101840 (aka CSS140914) | Baltay C., et al. 2021. |
| LSQ12btw | Pastorello A., et al. 2015. |
| LSQ12dlf | Nicholl M., et al. 2014. |
| LSQ12fhs | Baltay C., et al. 2021. |
| LSQ12fxd | Baltay C., et al. 2021, Maguire K., et al. 2013. Some unpublished photometry data described in Maguire et al. (2013); data are from the Faulkes Telescope South and Spectral camera in filters gri. |
| LSQ12gdj | Baltay C., et al. 2021, Scalzo R. A., et al. 2014. |
| LSQ13ddu | Clark P., et al. 2020. |
| LSQ13fn | Polshaw J., et al. 2016. |
| LSQ14an | Inserra C., et al. 2017. |
| LSQ14bdq | Nicholl M., et al. 2015. |
| LSQ14efd | Barbarino C., et al. 2017. |
| LSQ14mo | Leloudas G., et al. 2015, Chen T.-W., et al. 2017. |
| LSQ15bfp (aka iPTF15dld) | Pian E., et al. 2017. |
| NGC7552-OT (aka AT2014ej) | Stritzinger M. D., et al. 2020. |
| OGLE-2012-SN-006 | Pastorello A., et al. 2015b. |
| OGLE-2013-SN-079 | Inserra C., et al. 2015. |
| OGLE-2014-SN-073 | Terreran G., et al. 2017. |
| OGLE-2014-SN-131 | Karamehmetoglu E., et al. 2017. |
| OGLE16aaa | Wyrzykowski Ł., et al. 2017. |
| PS15ae (aka SN2015bn) | Nicholl M., et al. 2016a, Nicholl M., et al. 2016b. |
| PS15br | Inserra C., et al. 2018. |

| | |
|----------------------------|---|
| PS15dpn | Smartt S. J., et al. 2016. |
| PS15dsr (aka SN2015bs) | Anderson J. P., et al. 2018b. |
| SN2009ip | Fraser M., et al. 2015, Fraser M., et al. 2013. |
| SN2012ca | Inserra C., et al. 2016, Inserra C., et al. 2014. |
| SN2012ec | Barbarino C., et al. 2015, Jerkstrand A., et al. 2015. |
| SN2012hd | Maguire K., et al. 2013, Baltay C., et al. 2013. Some unpublished photometry data described in Maguire et al. (2013); data are from the Faulkes Telescope South and Spectral camera in filters gri. Some photometric data also from the La Silla QUEST survey and broad gr filter (Baltay et al. 2013). |
| SN2012hn | Valenti S., et al. 2014a. |
| SN2012hr | Maguire K., et al. 2013. Some unpublished photometry data described in Maguire et al. (2013); data are from the LCOGT 1m telescope network. |
| SN2012ht | Baltay C., et al. 2021, Maguire K., et al. 2013. Some unpublished photometry data described in Maguire et al. (2013); data are from the Liverpool Telescope and IO:O camera, in filters gri. |
| SN2013ai | Valenti S., et al. 2016, Davis S., et al. 2021. |
| SN2013aj | Maguire K., et al. 2013. Some unpublished photometry data described in Maguire et al. (2013); data are from the Liverpool Telescope and IO:O camera, in filters gri. Some data are provided from the SMARTS 1.3m telescope with ANDICAM and KPNO R-band filter. |
| SN2013am | Tomasella L., et al. 2018. |
| SN2013bb | Prentice S. J., et al. 2019. |
| SN2013ej | Yuan F., et al. 2016, Valenti S., et al. 2014b. |
| SN2013ek | Prentice S. J., et al. 2019. |
| SN2013fc | Kangas T., et al. 2016. |
| SN2013fs | Bullivant C., et al. 2018. |
| SN2013hx | Inserra C., et al. 2018. |
| SN2013K | Tomasella L., et al. 2018. |
| SN2013U | Maguire K., et al. 2013. Some unpublished photometry data described in Maguire et al. (2013); data are from the Liverpool Telescope and IO:O camera, in filters gri. |
| SN2014dq | Meza N., et al. 2019. |
| SN2014eg | Baltay C., et al. 2021. |
| SN2015ah | Prentice S. J., et al. 2019. |
| SN2015ap | Prentice S. J., et al. 2019. |
| SN2015F | Cartier R., et al. 2017, Baltay C., et al. 2021. |
| SN2015H | Magee M. R., et al. 2016. |
| SN2015L (aka ASASSN-15lh) | Leloudas G., et al. 2016. |
| SN2016aqf | Müller-Bravo T. E., et al. 2020. |
| SN2016eiy (aka ASASSN16hp) | Baltay C., et al. 2021. |
| SN2016frp | Prentice S. J., et al. 2019. |
| SN2016gsd | Reynolds T. M., et al. 2020. |
| SN2016hnk | Pastorello A., et al. 2019b. |
| SN2016hvl | Baltay C., et al. 2021. |
| SN2016iae | Prentice S. J., et al. 2019. |
| SN2016iks | Baltay C., et al. 2021. |
| SN2016P | Prentice S. J., et al. 2019. |
| SN2017awz | Baltay C., et al. 2021. |

| | |
|-----------------------------|---|
| SN2017azw | Baltay C., et al. 2021. |
| SN2017cbv | Baltay C., et al. 2021. |
| SN2017dcc | Prentice S. J., et al. 2019. |
| SN2017dio | Kuncarayakti H., et al. 2018. |
| SN2017ens (aka ASASSN-15pz) | Chen P., et al. 2019. |
| SN2017fzw | Baltay C., et al. 2021. |
| SN2017gci | Fiore A., et al. 2021. |
| SN2017htp | Melandri A., et al. 2019. |
| SN2017ivv | Gutiérrez C. P., et al. 2020. |
| SN2017jfs | Pastorello A., et al. 2019a. |
| SN2018aoz | Baltay C., et al. 2021. |
| SN2018bgz | Baltay C., et al. 2021. |
| SN2018bie | Baltay C., et al. 2021. |
| SN2018bsz | Anderson J. P., et al. 2018a. |
| SN2018ec | Kankare E., et al. 2021. |
| SN2018gjx | Prentice S. J., et al. 2020b. |
| SN2018hgc | Baltay C., et al. 2021. |
| SN2018ilu | Baltay C., et al. 2021. |
| SN2018jky | Baltay C., et al. 2021. |
| SN2018kzr | McBrien O. R., et al. 2019. |
| SN2018oh | Li W., et al. 2019, Baltay C., et al. 2021. |
| SN2019bkc | Prentice S. J., et al. 2020a. |
| SN2019so | Baltay C., et al. 2021. |
| SSS120810-231802-560926 | Nicholl M., et al. 2014. |

Previous Releases

The previous release of this catalogue contained the lightcurves of 32 objects. In this release we have removed transients LSQ13ccw and PS15csd from the catalogue as, although they appeared in publications containing photometric data to other PESSTO key-science targets, they are not themselves flagged as key-science targets in the PESSTO Transient Catalogue.

This latest version of the catalogue adds the lightcurves of another 65 objects.

Data Format

The multi-lightcurve catalogue, PESSTO_MPHOT, is provided as a FITS binary table and is structured following the standards described in Sec. 12 of Nausicaa et al. (2020). The table is stored as the single data extension within the FITS file and contains 51 columns and 7421 rows. Each row represents a *single epoch of photometry* measured for one of the 95 transients.

The columns are as follows, with the format of the catalogue entry in parentheses.

1. PHOT_ID: the unique identification for the single epoch of photometry within the lightcurve catalogue (J)
2. SOURCE_ID: the unique identification of the transient found within PESSTO_TRAN_CAT (the TRANSIENT_ID keyword value), the catalogue of transients classified and followed by PESSTO (A).

3. MJD: the mean Modified Julian date of the epoch of photometry (E)

4.-51. The remaining 48 columns contain measured magnitudes in one of the 24 different filters that have been used in PESSTO follow-up and their errors (All columns have format E). The column names provide the name of the filter and the magnitude-system employed (*Vega*, *AB* or *Swift*).

- The magnitudes in the *UBVRI* filters (e.g. U_VEGA_MAG, B_VEGA_MAG etc) are in the Landolt Vega magnitude system.
- The La Silla Quest Survey employs a broad filter covering roughly 400-700nm similar to the combined effect of Gunn *g + r* filters (see Baltay et al. 2013). The La Silla Quest photometry can be calibrated on a Vega magnitude or AB magnitude system and also converted to standard filters such as *V*, or *g*. There are a small number of photometric points for SN2012hd which are quoted in the natural AB magnitude based system of the filter (LSQGR_AB_MAG).
- Near infra-red magnitudes are in the 2MASS system which is normalised to Vega (hence they are referred to as J_VEGA_MAG etc).
- The magnitudes in the *ugrizY* filters (U_AB_MAG, G_AB_MAG etc) are in the AB magnitude system and are generally based on SDSS reference stars. This means they are effectively on the SDSS AB magnitude scale. Note that the column headers are all in upper case but they refer to SDSS *ugriz*.
- A number of targets were also observed in the UV with Swift through the UVOT filters *uvw2*, *uvm1*, *uvw1* and the optical *u*, *b* and *v*. The magnitudes are in the Swift UVOT system (based on Vega magnitudes). The column names are *UVW2_SWIFT_MAG*, *V_SWIFT_MAG* etc.
- The ATLAS *o* and *c*-bands (orange and cyan) are in the AB magnitude system.
- The PanSTARRS *W*-band (wide) covers the wavelength range spanned by all *gri*-bands and is in the AB magnitude system.

Acknowledgements

If using these data, please cite this paper

Smartt S.J., et al., 2015: PESSTO : survey description and products from the first data release of the Public ESO Spectroscopic Survey of Transient Objects

And add the following acknowledging statement in your articles

Based on data products from observations made with ESO Telescopes at the La Silla Paranal Observatory under programmes 184.D-1140, 188.D-3003, 191.D-0935, 197.D-1075 and 199.D-0143: PESSTO (the Public ESO Spectroscopic Survey for Transient Objects).

References

- Anderson J. P., et al., 2018a, A&A, 620, A67
Anderson J. P., et al., 2018b, NatAs, 2, 574

Baltay C., et al., 2013, *PASP*, 125, 683
 Baltay C., et al., 2021, *PASP*, 133, 044002
 Barbarino C., et al., 2015, *MNRAS*, 448, 2312
 Barbarino C., et al., 2017, *MNRAS*, 471, 2463
 Benetti S., et al., 2014, *MNRAS*, 441, 289
 Bostroem K. A., et al., 2019, *MNRAS*, 485, 5120
 Bullivant C., et al., 2018, *MNRAS*, 476, 1497
 Cartier R., et al., 2017, *MNRAS*, 464, 4476
 Chen P., et al., 2019, *ApJ*, 880, 35
 Chen T.-W., et al., 2017, *A&A*, 602, A9
 Clark P., et al., 2020, *MNRAS*, 492, 2208
 Davis S., et al., 2021, *ApJ*, 909, 145
 Fiore A., et al., 2021, *MNRAS*, 502, 2120
 Fraser M., et al., 2013, *MNRAS*, 433, 1312
 Fraser M., et al., 2015, *MNRAS*, 453, 3886
 Gall E. E. E., et al., 2015, *A&A*, 582, A3
 Gutiérrez C. P., et al., 2020, *MNRAS*, 499, 974
 Holoién T. W.-S., et al., 2018, *MNRAS*, 480, 5689
 Inserra C., et al., 2014, *MNRAS*, 437, L51
 Inserra C., et al., 2015, *ApJL*, 799, L2
 Inserra C., et al., 2016, *MNRAS*, 459, 2721
 Inserra C., et al., 2017, *MNRAS*, 468, 4642
 Inserra C., et al., 2018, *MNRAS*, 475, 1046
 Jerkstrand A., et al., 2015, *MNRAS*, 448, 2482
 Kangas T., et al., 2016, *MNRAS*, 456, 323
 Kankare E., Taubenberger, S., Vogl, C., et al. 2018, *ATel*, 11778, 1
 Kankare E., et al., 2021, *A&A*, 649, A134
 Karamahmetoglu E., et al., 2017, *A&A*, 602, A93
 Kilpatrick C. D., et al., 2018, *MNRAS*, 473, 4805
 Kuncarayakti H., et al., 2018, *ApJL*, 854, L14
 Leloudas G., et al., 2015, *ApJL*, 815, L10
 Leloudas G., et al., 2016, *NatAs*, 1, 0002
 Leloudas G., et al., 2019, *ApJ*, 887, 218
 Li W., et al., 2019, *ApJ*, 870, 12
 Magee M. R., et al., 2016, *A&A*, 589, A89
 Maguire K., et al., 2013, *MNRAS*, 436, 222
 McBrien O. R., et al., 2019, *ApJL*, 885, L23
 Melandri A., et al., 2019, *MNRAS*, 490, 5366
 Meza N., et al., 2019, *A&A*, 629, A57
 Müller-Bravo T. E., et al., 2020, *MNRAS*, 497, 361
 Nausicaa et al. 2020, ESO-044286 , Issue 6
 Nicholl M., et al., 2014, *MNRAS*, 444, 2096
 Nicholl M., et al., 2015, *ApJL*, 807, L18
 Nicholl M., et al., 2016a, *ApJ*, 826, 39
 Nicholl M., et al., 2016b, *ApJL*, 828, L18
 Pastorello A., et al., 2015, *MNRAS*, 449, 1954
 Pastorello A., et al., 2015b, *MNRAS*, 449, 1941
 Pastorello A., et al., 2019a, *A&A*, 625, L8
 Pastorello A., et al., 2019b, *A&A*, 628, A93
 Pian E., et al., 2017, *MNRAS*, 466, 1848
 Polshaw J., et al., 2016, *A&A*, 588, A1
 Prentice S. J., et al., 2019, *MNRAS*, 485, 1559
 Prentice S. J., et al., 2020a, *A&A*, 635, A186
 Prentice S. J., et al., 2020b, *MNRAS*, 499, 1450
 Reynolds T. M., et al., 2020, *MNRAS*, 493, 1761
 Scalzo R. A., et al., 2014, *MNRAS*, 445, 30
 Smartt, S.J. et al., 2015, *A&A*, 579, 40.
 Smartt S. J., et al., 2016, *ApJL*, 827, L40
 Stritzinger M. D., et al., 2020, *A&A*, 639, A104

Terreran G., et al., 2017, NatAs, 1, 713
Tomasella L., et al., 2018, MNRAS, 475, 1937
Valenti S., et al., 2014a, MNRAS, 437, 1519
Valenti S., et al., 2014b, MNRAS, 438, L101
Valenti S., et al., 2016, MNRAS, 459, 3939
Wevers T., et al., 2019, MNRAS, 488, 4816
Wyrzykowski Ł., et al., 2017, MNRAS, 465, L114
Yuan F., et al., 2016, MNRAS, 461, 2003